


Workflow: jira

Mode: **INACTIVE**

Description: The default Jira workflow



Menu

- [Statuses](#)
- [Transition: Create Issue \(Id: 1\)](#)
 Validators **1** Post Functions **2** Transition Properties **2**
- [Transition: Close Issue \(Id: 2\)](#)
 Conditions **2** Validators **0** Post Functions **5** Transition Properties **3** Screen
- [Transition: Reopen Issue \(Id: 3\)](#)
 Conditions **1** Validators **0** Post Functions **6** Transition Properties **3** Screen
- [Transition: Start Progress \(Id: 4\)](#)
 Conditions **1** Validators **0** Post Functions **7** Transition Properties **2**
- [Transition: Resolve Issue \(Id: 5\)](#)
 Conditions **1** Validators **0** Post Functions **5** Transition Properties **3** Screen
- [Transition: Stop Progress \(Id: 301\)](#)
 Conditions **1** Validators **0** Post Functions **6** Transition Properties **2**
- [Transition: Close Issue \(Id: 701\)](#)
 Conditions **1** Validators **0** Post Functions **5** Transition Properties **3** Screen

Statuses

Information

Category:	To Do	In Progress	Done
Statuses:	<div style="border: 1px solid black; padding: 2px; display: inline-block;">OPEN</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">REOPENED</div>	<div style="border: 1px solid black; padding: 2px; display: inline-block;">IN PROGRESS</div>	<div style="border: 1px solid black; padding: 2px; display: inline-block;">RESOLVED</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">CLOSED</div>

Properties


Status:	Property Key	Property Value
<div style="border: 1px solid black; padding: 2px; display: inline-block;">CLOSED</div>	jira.issue.editable	false



Transition: Create Issue [↗](#)

Information

Transition Id: 1



Validators 1

Only users with **Create Issues** permission can execute this transition.

Post Functions 2

- Creates the issue originally.
- Fire a **Issue Created** event that can be processed by the listeners.

Transition Properties 2

Property Key	Property Value
opsbar-sequence	0
jira.i18n.title	common.forms.create

Transition: Close Issue [↗](#)

Information

Transition Id: 2



Screen

Name: [Resolve Issue Screen](#)

Tabs: Field Tab

- Fields:
- Resolution (resolution)
 - Fix Version/s (fixVersions)
 - Assignee (assignee)
 - Log Work (worklog)
 - Comment (comment)

Conditions 2

- All of the following conditions [v](#)
- Only users with **Resolve Issues** permission can execute this transition.
 - Only users with **Close Issues** permission can execute this transition.

Validators 0

Post Functions 5



- Set issue status to the linked status of the destination workflow step.
- Add a comment to an issue if one is entered during a transition.
- Update change history for an issue and store the issue in the database.
- Re-index an issue to keep indexes in sync with the database.
- Fire a **Issue Closed** event that can be processed by the listeners.


☰ Transition Properties 3

Property Key	Property Value
opsbar-sequence	60
jira.i18n.submit	closeissue.close
jira.i18n.title	closeissue.title

Transition: Reopen Issue [↗](#)

📘 Information

Transition Id: 3



📄 Screen

Name: [Workflow Screen](#)

Tabs: Field Tab

Fields: Assignee (assignee)
Comment (comment)

☰ Conditions 1

All of the following conditions ▾

Only users with **Resolve Issues** permission can execute this transition.

☰ Validators 0

☰ Post Functions 6

- The **Resolution** of the issue will be **cleared**.
- Set issue status to the linked status of the destination workflow step.
- Add a comment to an issue if one is entered during a transition.
- Update change history for an issue and store the issue in the database.
- Re-index an issue to keep indexes in sync with the database.
- Fire a **Issue Reopened** event that can be processed by the listeners.

☰ Transition Properties 3

Property Key	Property Value
opsbar-sequence	80
jira.i18n.submit	issue.operations.reopen.issue



Property Key	Property Value
jira.i18n.title	issue.operations.reopen.issue

Transition: Start Progress [↗](#)

Information

Transition Id: 4



Conditions 1

All of the following conditions ▼

Only users with **Assignable User** permission can execute this transition.

Validators 0

Post Functions 7

The **Resolution** of the issue will be **cleared**.

Set issue status to the linked status of the destination workflow step.

Assign the issue to the current user. Please note that the issue will only be assigned to the current user if the current user has the 'Assignable User' permission.

Add a comment to an issue if one is entered during a transition.

Update change history for an issue and store the issue in the database.

Re-index an issue to keep indexes in sync with the database.

Fire a **Work Started On Issue** event that can be processed by the listeners.

Transition Properties 2

Property Key	Property Value
opsbar-sequence	20
jira.i18n.title	startprogress.title

Transition: Resolve Issue [↗](#)

Information

Transition Id: 5



Screen

Name: [Resolve Issue Screen](#)

Tabs: Field Tab



Tab: Field Tab

Fields: Resolution (resolution)
 Fix Version/s (fixVersions)
 Assignee (assignee)
 Log Work (worklog)
 Comment (comment)

☰ Conditions 1

All of the following conditions ▾

Only users with **Resolve Issues** permission can execute this transition.

☰ Validators 0

☰ Post Functions 5

Set issue status to the linked status of the destination workflow step.

Add a comment to an issue if one is entered during a transition.

Update change history for an issue and store the issue in the database.

Re-index an issue to keep indexes in sync with the database.

Fire a **Issue Resolved** event that can be processed by the listeners.

☰ Transition Properties 3

Property Key	Property Value
opsbar-sequence	40
jira.i18n.submit	resolveissue.resolve
jira.i18n.title	resolveissue.title

Transition: Stop Progress [↗](#)

ⓘ Information

Transition Id: 301



☰ Conditions 1

All of the following conditions ▾

Only users with **Assignable User** permission can execute this transition.

☰ Validators 0

☰ Post Functions 6

The **Resolution** of the issue will be **cleared**.

Set issue status to the linked status of the destination workflow step.

Add a comment to an issue if one is entered during a transition.

Update change history for an issue and store the issue in the database.

Re-index an issue to keep indexes in sync with the database.

Fire a **Work Stopped On Issue** event that can be processed by the listeners.

☰ Transition Properties **2**

Property Key	Property Value
opsbar-sequence	20
jira.i18n.title	stopprogress.title

Transition: Close Issue [↗](#)

📘 Information

Transition Id: 701



📄 Screen

Name: [Workflow Screen](#)

Tabs: Field Tab

Fields: Assignee (assignee)
Comment (comment)

☰ Conditions **1**

All of the following conditions ▾

Only users with **Close Issues** permission can execute this transition.

☰ Validators **0**

☰ Post Functions **5**

- Set issue status to the linked status of the destination workflow step.
- Add a comment to an issue if one is entered during a transition.
- Update change history for an issue and store the issue in the database.
- Re-index an issue to keep indexes in sync with the database.
- Fire a **Issue Closed** event that can be processed by the listeners.

☰ Transition Properties **3**

Property Key	Property Value
opsbar-sequence	60
jira.i18n.submit	closeissue.close
jira.i18n.title	closeissue.title

